


iTcPower
Portable Diesel Generators
Silent Canopy, Electric Start

**DG15000SE / DG15000SE-3
DG15000SE-T**



GENERATOR		DG15000SE	DG15000SE-3	DG15000SE-T
Frequency	HZ	50	50	50
Rated Power		11 kW	13.8 kVA	11 kW / 13.8 kVA
Max. Power		12 kW	15 kVA	12 kW / 15 kVA
Voltage	V	230	230 / 400	230 / 400
Current	A	52.2	21.7	52.2 / 21.7
Plugs		16A & 63A	32A & 16A	63A & 32A
Display		LED6	LED6	LED6
Fuel tank capacity	L	25	25	25
Running time @75% load	H	6	6	6
Sound level @ 7m	dB(A)	72	72	72
Battery	V/Ah	12/45	12/45	12/45
ENGINE		D1000E	D1000E	D1000E
Engine type		Diesel	Diesel	Diesel
Power	HP	20	20	20
Start		Electric	Electric	Electric
Displacement	CC	997	997	997
Oil Capacity	L	2.8	2.8	2.8
ALTERNATOR		AL12	AL12-3	AL12-T
Power	KW	12	12	12
Power Factor		1	0.8	1 / 0.8
Voltage Regulation		Brush / AVR	Brush / AVR	Brush / AVR
DIMENSIONS & WEIGHT				
Net Weight	KG	300	300	300
Gross Weight	KG	320	320	320
Machine size	MM	1120x650x800	1120x650x800	1120x650x800
Case packing	MM	1180x700x920	1180x700x920	1180x700x920

DG — Diesel Generator

SE — Silent Canopy, Electric Start, 1 Phase

SE-3 — Silent Canopy, Electric Start, 3 Phase

SE-T — Silent Canopy, Electric Start, Full Power 1 Phase & 3 Phase

Options

Control panel



LED6
Voltage AC
Power output
Frequency
Battery voltage
Current
Working time



DC30 (ATS)
Smart controller



ATS/AUTO
module

Engine



NSK
bearing



Euro5
catalyst



Preheater

Alternator



THD ≤ 5%

Package



Individual pallet packing

Accessories

ATS box



Remote Controller 300M



Wheels With Brakes

